

	Hits	Search Text	DBs
1	0	((partial and full) near5 (scan\$5 displ\$5)) and (subframe subfield)	EPO; JPO; DERWENT; IBM_TDB
2	2	((partial and full) adj4 (scan\$5 displ\$5)) with (subframe subfield)	US-PGPUB; USPAT
3	2	((partial and full) adj4 (scan\$5 displ\$5)) same (subframe subfield)	US-PGPUB; USPAT
4	12	((partial and full) near5 (scan\$5 displ\$5)) and (subframe subfield)	US-PGPUB; USPAT
5	4	((partial and full) adj4 (scan\$5 displ\$5)) and (subframe subfield)	US-PGPUB; USPAT
6	4	((partial) adj4 (scan\$5 displ\$5)) with (subframe subfield)	US-PGPUB; USPAT
7	10	((partial whole) adj4 (scan\$5 displ\$5)) with (subframe subfield)	US-PGPUB; USPAT
8	3	((partial and (full whole)) adj4 (scan\$5 displ\$5)) with (subframe subfield)	US-PGPUB; USPAT
9	3	((partial and (full whole)) near5 (scan\$5 displ\$5)) with (subframe subfield)	US-PGPUB; USPAT
10	0	((partial and (full whole)) near5 (scan\$5 displ\$5)) with (subframe subfield)	EPO; JPO; DERWENT; IBM_TDB
11	0	((partial and (full whole)) near5 (scan\$5 displ\$5)) and (subframe subfield)	EPO; JPO; DERWENT; IBM_TDB
12	16	((partial and (full whole)) near5 (scan\$5 displ\$5)) and (subframe subfield)	US-PGPUB; USPAT
13	1988	((partial and (full whole)) near5 (scan\$5 displ\$5))	US-PGPUB; USPAT
14	564	((partial with (full whole)) near5 (scan\$5 displ\$5))	US-PGPUB; USPAT
15	11	((partial with (full whole)) same (scan\$5 displ\$5)) and (subframe subfield)	US-PGPUB; USPAT
16	4	((partial with (full whole)) near5 (scan\$5 displ\$5)) and (subframe subfield)	US-PGPUB; USPAT
17	5	((partial with (full whole)) with (scan\$5 displ\$5)) and (subframe subfield)	US-PGPUB; USPAT
18	6	((partial with (full whole)) same (scan\$5 displ\$5)) and (subframe subfield)) not ((partial with (full whole)) with (scan\$5 displ\$5)) and (subframe subfield))	US-PGPUB; USPAT
19	580	((partial near5 (full whole)) near5 (scan\$5 displ\$5))	US-PGPUB; USPAT

	Hits	Search Text	DBs
20	262	((partial near5 (full whole)) adj5 (scan\$5 displ\$5))	US-PGPUB; USPAT
21	109	((partial with (full whole)) adj (scan\$5 displ\$5))	US-PGPUB; USPAT
22	12	((partial near5 (full whole)) adj (scan\$5 displ\$5))	EPO; JPO; DERWENT; IBM_TDB
23	22	((((partial with (full whole)) adj (scan\$5 displ\$5))) not (((partial near5 (full whole)) adj (scan\$5 displ\$5))))	EPO; JPO; DERWENT; IBM_TDB
24	24	((partial with (full whole)) adj (scan\$5 displ\$5))	EPO; JPO; DERWENT; IBM_TDB
25	61	((partial near5 (full whole)) adj (scan\$5 displ\$5))	US-PGPUB; USPAT
26	85	((((partial with (full whole)) adj (scan\$5 displ\$5))) not (((partial near5 (full whole)) adj (scan\$5 displ\$5))))	US-PGPUB; USPAT
27	1	"6028573".pn.	US-PGPUB; USPAT
28	0	((partial and full) near5 (scan\$5 displ\$5)) with (scan\$5 near6 (disabled enabled))	EPO; JPO; DERWENT; IBM_TDB
29	1	((partial and full) near5 (scan\$5 displ\$5)) with (scan\$5 near6 (disabled enabled))	US-PGPUB; USPAT
30	4	((partial and full) with (scan\$5 displ\$5)) same (scan\$5 near6 (disabled enabled))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	4	((partial and full) with (scan\$5 displ\$5)) same (scan\$5 near6 (disabled enabled))	US-PGPUB; USPAT
32	0	((partial and full) with (displ\$5)) same (scan\$5 near6 (disabled enabled))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	13	((partial and full) with (displ\$5)) and (scan\$5 near6 (disabled enabled))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	56	((partial) with (displ\$5)) and (scan\$5 near6 (disabled enabled))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	23	((partial) with (scan\$5 displ\$5)) same (scan\$5 near6 (disabled enabled))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
36	2	((display adj off) with (scan\$5 displ\$5)) same (scan\$5 near6 (disabled enabled))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	1542	(345/54,79-80,207,209,212-213,611-613).CCLS.	US-PGPUB; USPAT; USOCR
38	0	((345/54,79-80,207,209,212-213,611-613).CCLS.) and ((part\$5 with (full whole all)) with (scan\$5 displ\$5)) and (subframe subfield)	US-PGPUB; USPAT
39	0	((345/54,79-80,207,209,212-213,611-613).CCLS.) and ((part\$5 with (full whole all)) same (scan\$5 displ\$5)) and (subframe subfield)	US-PGPUB; USPAT
40	72	((part\$5 with (full whole all)) same (scan\$5 displ\$5)) and (subframe subfield)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	27	((345/54,79-80,207,209,212-213,611-613).CCLS.) and ((part\$5 with (full whole all)) with (scan\$5 displ\$5))	US-PGPUB; USPAT
42	70	((part\$5 with (full whole all)) same (scan\$5 displ\$5)) and (subframe subfield)) not (((345/54,79-80,207,209,212-213,611-613).CCLS.) and ((part\$5 with (full whole all)) with (scan\$5 displ\$5)))	US-PGPUB; USPAT
43	41	((part\$5 with (full whole all)) with (scan\$5 displ\$5)) and (subframe subfield)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	6	((part\$5 with (full whole all)) with (scan\$5 displ\$5)) with (subframe subfield)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	7	((part\$5 with (full whole all)) with (scan\$5 displ\$5)) same (subframe subfield)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	41	((part\$5 with (full whole all)) with (scan\$5 displ\$5)) and (subframe subfield)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	34	((part\$5 with (full whole all)) with (scan\$5 displ\$5)) and (subframe subfield)) not (((part\$5 with (full whole all)) with (scan\$5 displ\$5)) same (subframe subfield))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
48	10	((part\$5 with (full whole all)) same (scan\$5 displ\$5)) same (subframe subfield)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	3	((((part\$5 with (full whole all)) same (scan\$5 displ\$5)) same (subframe subfield)) not (((part\$5 with (full whole all)) with (scan\$5 displ\$5)) same (subframe subfield)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	7	((((part\$5 incomplete unfinished) with (full whole all)) with (scan\$5 displ\$5)) same (subframe subfield)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	791	(345/212-213).CCLS.	US-PGPUB; USPAT; USOCR
52	0	((345/212-213).CCLS.) and (((part\$5 incomplete unfinished) with (full whole all)) with (scan\$5 displ\$5)) same (subframe subfield)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	17	((345/212-213).CCLS.) and (((part\$5 incomplete unfinished) with (full whole all)) with (scan\$5 displ\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	27	((345/54,79-80,207,209,212-213,611-613).CCLS.) and (((part\$5 incomplete unfinished) with (full whole all)) with (scan\$5 displ\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	10	(((345/54,79-80,207,209,212-213,611-613).CCLS.) and (((part\$5 incomplete unfinished) with (full whole all)) with (scan\$5 displ\$5))) not (((345/212-213).CCLS.) and (((part\$5 incomplete unfinished) with (full whole all)) with (scan\$5 displ\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	0	((345/54,79-80,207,209,212-213,611-613).CCLS.) and (((part\$5 incomplete unfinished) with (full whole all)) with (scan\$5 displ\$5)) and (subframe subfield)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	651	(345/89).CCLS.	US-PGPUB; USPAT; USOCR
58	15	((partial and (full whole)) near5 (scan\$5 displ\$5)) and ((345/89).CCLS.)	US-PGPUB; USPAT

	Hits	Search Text	DBs
59	2	((partial with (full whole)) near5 (scan\$5 displ\$5)) and ((345/89).CCLS.)	US-PGPUB; USPAT
60	1	((partial near5 (full whole)) near5 (scan\$5 displ\$5)) and ((345/89).CCLS.)	US-PGPUB; USPAT
61	2	(scan\$5 with (displa\$4 and non\$1displa\$4)) and speckle\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	2	(scan\$5 same (displa\$4 and non\$1displa\$4)) and speckle\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	7971	speckle\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	969	(scan\$5 near3 line\$4) and speckle\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	2	(scan\$5 same (non\$1displa\$4)) and speckle\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	4	(scan\$5 and (displa\$4 and non\$1displa\$4)) and speckle\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	3	((partial) with (displ\$5)) same (scan\$5 near6 (disabled enabled))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	60	((partial) with (displ\$5)) and (scan\$5 near6 (disabled enabled))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	10	(scan\$5 adj3 suppl\$3) with non\$2display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	20	(scan\$5 adj3 suppl\$3) same non\$2display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	15	(scan\$5 near3 suppl\$3) with non\$2display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	26	(scan\$5 near5 suppl\$3) with non\$2display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
73	86	(scan\$5 adj3 signal\$3) with non\$2display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	48	(scan\$5 adj3 signal\$3) with (non\$2display adj2 (region area))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	43	(scan\$5 adj3 signal\$3) near5 non\$2display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	2	((((partial with (full whole)) with display) with (gray adj3 scale))	US-PGPUB; USPAT
77	2	((((partial with (full whole)) with display) with (gray adj3 scale))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	7	((((partial with (full whole)) with display) same (gray adj3 scale))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	0	((((partial with (full whole)) same lcd) same (gray adj3 scale))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	0	((((partial with (full whole)) same LCD) same (gray adj3 scale))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	7	((((partial with (full whole)) same display) same (gray adj3 scale))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB